

DECLARATION OF CONFORMITY

I hereby declare that the product

Description: SMART PHONE

Type or model name: SL 05

Brand name: BLAUPUNKT

(Name of product, type or model, batch or serial number)

Hardware version number:	E51S-MB-V1.0-180417
Software version number:	e51_M55C1_Blaupunkt_V10_20180920
Adapter:	Model: SL05 Brand: BLAUPUNKT Power supply and ADP(rating): Input: AC 100V-240V, 50/60Hz 300mA Output: DC 5V, 2000mA
Battery:	Model: SL 05 Brand: N/A Battery(rating): Rated Voltage: 3.8V Charge Limit: 4.4V Capacity :3000mAh
USB line	Model: SL 05 Brand: BLAUPUNKT Length:100cm
Earphone	Model: SL 05 Brand: BLAUPUNKT Length:120cm
Dipole Antenna	Model: SL 05 Brand: BLAUPUNKT
PIFA Antenna	Model: SL 05 Brand: BLAUPUNKT

satisfies all the technical regulations applicable to the product within the scope of Council Directives 2014/53/EU: All Reports as specified by client, determine the lead, Cadmium, Hexavalent Chromium and/or PBB&PBDE content in the submitted samples which are restricted in Directive 2011/65/EU(Rohs)

All essential radio test suites have been carried out.

BKC-180701127H EN 50360:2017 EN 62209-1:2016 EN 62209-2:2010

BKC-180701127S EN609501:2006+A2:2013

BKC-180701127E ETSI EN 301 489-1 V2.2.0(2017-03) ETSI EN301 489-7 V1.3.1(2005-11) ETSI EN 301 489-17 V3.2.0(2017-03) ETSI EN 301 489-24 V1.5.1(2010-10)

BKC-180701127R-1 ETSI EN 300 328 V2.1.1(2016-11)

BKC-180701127R-2 ETSI EN 301 511 V12.5.1(2017-03)

BKC-180701127R-3 ETSI EN 301 908-1 V11.1.1(2016-07) ETSI EN 301 908-2 V11.1.2(2017-08) ETSI EN 301 908-13 V11.1.2(2017-07)

BKC-180701128R IEC62321-1: 2013 BKC-180701129R

Feature:

GSM

Frequency Bands:

GSM 900: 880 ~ 915 MHz(TX) 925 ~ 960 MHz (RX)

GSM 1800: 1710 ~ 1785 MHz(TX) 1805 ~ 1880 MHz(RX)

Modulation Mode: GMSK for GPRS, GMSK and 8PSK for EDGE

Antenna Type: PIFA

Antenna Gain: GSM 900: 3.0dBi GSM 1800:3.0dBi

Max power:32.48dBm

WCDMA

Frequency Bands:

WCDMA2100: 1920 ~ 1980 MHz(TX) 2110 ~ 2170 MHz(Rx)

WCDMA900: 880 ~ 915 MHz(TX) 925 ~ 960 MHz(Rx)

Modulation Mode: WCDMA: QPSK;HSDPA:QPSK/16QAM; HSUPA:BPSK;

Antenna Type: PIFA

Antenna Gain: WCDMA 2100:3.0dBi WCDMA 900:3.0dBi

Max power:22.21dBm

Bluetooth 4.0

Frequency Bands:2402-2480 MHz

Modulation Mode: GFSK(1Mbps)

Antenna Type: PIFA

Antenna Gain:3dBi

EIRP Max power:-2.29dBm

4G WIFI

Frequency Bands:

IEEE 802.11b /g /n(20MHz):2412-2472 MHz

IEEE 802.11n(40MHz):2422-2462MHz

Modulation Mode: CCK/OFDM/DBPSK/DAPSK

Antenna Type: PIFA

Antenna Gain: 2.9dBi

EIRP Max power:17.82dBm

GPS

Frequency Bands:1.57542GHz

Modulation Mode: GSMK

Antenna Type: PIFA

Antenna Gain: 3.0dBi

FM

Frequency Bands:88-108MHz

Modulation Mode:FM

Antenna Type: Dipole Antenna

(Earphone acts as FM antenna which becomes an integral antenna)

Antenna Gain:3.0dBi

NOTIFIED BODY: PHOENIX TEST-LAB GmbH

– **Address:**

Köningswinkel 10

D-32825 Blomberg

Germany

Identification Number: 0700

MANUFACTURER or AUTHORISED REPRESENTATIVE:

– **Address:**

HTM Mobile Kft.

1118 Budapest, Dayka Gábor utca 3. Hungary

This declaration is issued under the sole responsibility of the manufacturer and, if applicable, his

Authorized representative.

Point of contact:

2018-12-07

(Signature)

Name (in block letter)

ALICE YU

Title (in block letter)

SALES MANAGER

Company Name

Brava Technology Co.,ltd

Address

OFFICE NO.3 10/F WITTY COMMERCIAL BUILDING 1A-1L TUNG
CHOI STREET MONGKOK KOWLOON HONG KONG

Tel / Fax

86-755-23000880/86-755-23595721

Email

Sales5@brava-digital.com

